



1 DEMOLITION PLAN - SEVENTH FLOOR #704-AR-001
1/100




2 NEW CONSTRUCTION PLAN - SEVENTH FLOOR #704-AR-001
1/100



3 PHOTOGRAPHS OF CURRENT SITUATION -SEVENTH FLOOR #704-AR-001



4 WALL DETAIL FOR FIRE SEPARATION E120/from both sides




5 WALL DETAIL FOR FIRE SEPARATION E120/from one side

- PART I**
- Demolition of equipment on the ceiling of the room
 - 3 60x60cm led lighting fixture
 - 1 smoke detector
 - 2 45x25cm culvert
 - 20x20(2m) duct
 - Demolition of grid suspended ceiling in the room- total 18.7m2
 - Demolition of equipment on the walls which will be demolished in the room
 - 3 Electric switch
 - Oxygen vacuum
 - 1 25x25cm culvert
 - PVC shaft door (30x30cm)
 - Hygienic sink
 - Ø 150 PVC pipe
 - Demolition of ceramic tile on the wall of hygienic sink (93x150cm)
 - Demolition of existing plasterboards behind the elevator shaft.(45x250cm, 48x250cm, 93x250cm, 48x250cm,58x250cm, 64x250cm)
- In order to construct E120 Wall for the elevator shaft:
- Close the hole on masonry wall, which is adjacent to the corridor, from inside of the shaft by mortar
 - Mounting two layers of 25mm plasterboards from the inside of the shaft. (100x287cm, 243x287cm, 80x287cm)
 - Mounting two layers of 25mm plasterboards from the room instead of demolished ones. (45x250cm, 48x250cm, 93x250cm, 48x250cm,58x250cm, 64x250cm)
 - Reassemble 20x20(2m) duct, providing fire damper on it.
 - Reassemble the equipments on wall
 - Electric switch
 - Oxygen vacuum
 - 1 25x25cm culvert
 - PVC shaft door (30x30cm)
 - Hygienic sink
 - Ø 150 PVC pipe
 - Mounting of grid suspended ceiling in the room- total 18.7m2
 - Reassembling the equipment on ceiling
 - 3 60x60cm led lighting fixture
 - 1 smoke detector
 - 2 45x25cm culvert
- PART II**
- Demolition of (50x100cm and 40x40cm) plasterboard wall around the PVC pipes at the corner of the staircase
 - Fire stopping will be applied around pipe penetrations.
 - Mounting of demolished plasterboards (50x100cm and 40x40cm)
 - Demolition of the existing door of fire staircase (150x210cm)
 - Demolition of the existing door of the room at the corner (80x210cm)
 - Demolition of the existing door of the other room (50x210cm)
 - Demolition of existing plasterboard wall of the two rooms which is adjacent to the fire staircase(271x 290cm)
- PART III**
- Demolition of equipment on the ceiling of the room
 - 2 circular lighting fixture
 - 1 smoke detector
 - Demolition of PVC hygienic suspended ceiling-5.8m2
 - Demolition of white ceramic tiling(each is in the dimensions of 50x25cm) in the wall with the door and 125 cm inside from the adjacent wall. (135x250cm,125x250cm, 61x250cm,50x250cm)
 - Move and attach the existing demolished door(80x210cm) to wall between Part III and Part IV
 - Construction of E120-rated wall of staircase, by mounting 2layers of 15mm plasterboards from both sides(from the staircase hall and the rooms) (2721x290cm)
 - White ceramic tiling(each is in the dimensions of 50x25cm) in the wall with the door and 125 cm inside from the adjacent wall. (135x250cm,125x250cm, 61x250cm,50x250cm) in Part III
 - Mounting of PVC hygienic suspended ceiling-5.8m2 in Part III
 - Reassemble of the equipment on the ceiling of the room of Part III
 - 2 circular lighting fixture
 - 1 smoke detector
- PART IV**
- Demolition of equipment on the ceiling of the room
 - 1 circular lighting fixture
 - 1 smoke detector
 - Demolition of grid suspended ceiling-5.9m2
 - Demolition of existing plasterboard walls which is adjacent with the elevator hall and 125 cm inside from the wall which is adjacent to the Part IV. (60x250cm,60x250cm,130x250cm,125x250cm)
 - Move and attach the existing demolished door(80x210cm) of Part IV to the wall between Part IV and Part V
 - Demolition of equipment on the ceiling of the elevator hall
 - 1 circular lighting fixture
 - 1 smoke detector
 - 1 fan coil
 - 2 45x25cm culvert
 - Ø 500 flexible duct(2m)
 - Demolition of grid suspended ceiling of the elevator hall-7.4m2
 - Demolition of equipment on the walls of the elevator hall
 - 1 fire button
 - 1 audio-visual device
 - 1 thermostat
 - 1 elevator control panel
 - 1 fire cabinet
 - Demolition of existing plasterboard wall in the elevator hall (136x250cm, 30x250cm, 108x50cm, 30x250cm, 43x250cm,26x250cm,36x250cm,5x250cm,150x40cm, 17x250cm,32x250cm)
 - Construction of E120 wall for elevator hall
 - Mounting 2 layers of 15mm plasterboards from both sides for the wall of entrance to the fire staircase (178x360cm)
 - Mounting 2 layers of 15mm plasterboards from both sides for the wall between Part IV-V and the elevator hall.(214x360cm)
 - Construct a new E120 wall to create a separate hall, by mounting 2 layers of 15mm plasterboards from both sides up to under the beam.(240x290cm)
 - Mounting 2 layers of 25mm plasterboards from one side for the walls in front of the elevator door(27x360cm,30x360cm,108x150cm,30x360cm,43x360cm,26x360cm,36x360cm,5x360cm)
 - Provide a new E90 door for fire staircase (one leaf is 20cm, one leaf 115cm, height is 210cm)
 - Provide a new E90 door for elevator hall (150x210cm)
 - Mounting of new plasterboards without fire-rating to the walls at the corridor instead of demolished ones.(80x290cm and 98x290cm)
 - Mounting grid suspended ceiling for the elevator hall instead of the demolished ones-7.2m2
 - Reassemble of equipment on the ceiling of the elevator hall
 - 1 circular lighting fixture
 - 1 smoke detector
 - 1 fan coil
 - 2 45x25cm culvert
 - Ø 500 flexible duct(2m) with fire damper
 - Reassemble of equipment on the wall of the elevator hall
 - 1 fire button
 - 1 audio-visual device
 - 1 thermostat
 - 1 elevator control panel
 - 1 fire cabinet
- For Part IV
- White ceramic tiling(each is in the dimensions of 50x25cm) in the wall with the door and 125 cm inside from the adjacent walls. (125x250cm,125x250cm, 199x250cm)
 - Mounting of PVC hygienic suspended ceiling-5.9m2
 - Reassemble of the equipment on the ceiling of the room
 - 3 circular lighting fixture
 - 1 smoke detector
- For Part V
- Mounting of new plasterboards without fire-rating instead of demolished ones.(60x250cm,60x250cm,25x250cm, 125x250cm)
 - Mounting of grid suspended ceiling-5.9m2
 - Reassemble of the equipment on the ceiling of the room
 - 1 circular lighting fixture
 - 1 smoke detector

LEGEND AND MATERIAL LIST	
SYMBOL	DESCRIPTION
[Symbol]	TO BE DEMOLISHED 60x60 GRID SUSPENDED CEILING
[Symbol]	TO BE MOUNTED 60x60 GRID SUSPENDED CEILING
[Symbol]	TO BE DEMOLISHED PVC HYGIENIC SUSPENDED CEILING
[Symbol]	TO BE MOUNTED PVC HYGIENIC SUSPENDED CEILING
[Symbol]	TO BE DEMOLISHED PLASTERBOARDS SUSPENDED CEILING
[Symbol]	TO BE MOUNTED PLASTERBOARDS SUSPENDED CEILING
[Symbol]	TO BE CLOSED HOLE BY BRG WALL
[Symbol]	TO BE APPLIED FIRE STOPPING AT THE FLOOR LEVEL WITH ADDITIONAL SUPPORTING CONSTRUCTION
[Symbol]	TO BE DEMOLISHED EXISTING PLASTERBOARD WALL
[Symbol]	TO BE DEMOLISHED EXISTING GLASS PARTITION WALL
[Symbol]	TO BE DEMOLISHED EXISTING CERAMIC TILE
[Symbol]	TO BE CONSTRUCTED CERAMIC TILE
[Symbol]	TO BE CONSTRUCTED PLASTERBOARD WALL WITHOUT FIRE RATING
[Symbol]	TO BE CONSTRUCTED COMPARTMENT WALL FOR FIRE SEPARATION E90- 2x12.5 mm /from both sides
[Symbol]	TO BE CONSTRUCTED SHUT WALL FOR FIRE SEPARATION E120 - Shut Wall 2x25 mm Plasterboard/From one side
[Symbol]	TO BE CONSTRUCTED WALL FOR FIRE SEPARATION E90 - 2x15 mm/From both sides
[Symbol]	TO BE CONSTRUCTED WALL FOR FIRE SEPARATION E90 - 2x15 mm Plasterboard/From one side
[Symbol]	TO BE CONSTRUCTED PLASTERBOARD WALL -ABOVE THE EXISTING WALL
[Symbol]	TO BE CONSTRUCTED PLASTERBOARD WALL FOR FIRE SEPARATION E90 - One Layer
[Symbol]	TO BE CONSTRUCTED 25MM PLASTERBOARD WALL FOR FIRE SEPARATION E120- One Layer
[Symbol]	TO BE CONSTRUCTED 15MM PLASTERBOARD WALL FOR FIRE SEPARATION E120- One Layer
[Symbol]	TO BE APPLIED PLASTER
[Symbol]	TO BE DEMOLISHED EXISTING DOOR
[Symbol]	TO BE MOUNTED NEW FIRE DOOR
[Symbol]	TO BE REMOVED EXISTING DOOR

- FOR SYSTEM APPROVAL
- FOR TENDER
- FOR INSTALLATION
- AS BUILT



Date	For System Approval	Explanation

CLIENT	EVEX GEORGIA HEALTHCARE GROUP 40 Vahit Pinarsoy Ani Tuzla - GEORGIA Tel: +995 322 55 05 05
--------	---

DESIGNER	KARİNA TASARIM, DANISMANLIK VE EĞİTİM HİZMETLERİ LTD.ŞTİ. Celtik EMEC Binası 2. Cad. No : 37/4 A. ÖZGÜLER - 06460 ANKARA / TÜRKİYE Tel : +90-312-472 62 88 Fax : +90-312-472 62 89 e-posta: info@karina.com.tr
----------	---

TECH. CONSULTANCY	: KARİNA
SYSTEM DESIGN	: KARİNA
MATERIAL SUPPLY	: -
INSTALLATION	: -
APPROVAL	: -
DATE	: 06.03.2021
SCALE	: 1/100
DRAWING NO	: EYEX-DEKA-KAR-704-AR-001
REV.	: 00
FILE NAME	: C:\EYEX-DEKA-KAR-702-703-704-AR