


1 DEMOLITION PLAN - SECOND FLOOR #204-AR-002  
1/100

2 NEW CONSTRUCTION PLAN - SECOND FLOOR #204-AR-002  
1/100




3 WALL DETAIL FOR FIRE SEPARATION E120/from both sides  
1/100

1. Construct a new E120 wall to the entrance of the bridge which connects with the other building by mounting plasterboards from both sides(154x300cm)
2. Fill the spaces with mortar




4 PHOTOGRAPHS OF CURRENT SITUATION -SECOND FLOOR #204-AR-002


LEGEND AND MATERIAL LIST	
SYMBOL	DESCRIPTION
[Symbol]	TO BE DEMOLISHED 60x60 GRID SUSPENDED CEILING
[Symbol]	TO BE MOUNTED 60x60 GRID SUSPENDED CEILING
[Symbol]	TO BE DEMOLISHED PVC HYDROIC SUSPENDED CEILING
[Symbol]	TO BE MOUNTED PVC HYDROIC SUSPENDED CEILING
[Symbol]	TO BE DEMOLISHED PLASTERBOARD SUSPENDED CEILING
[Symbol]	TO BE MOUNTED PLASTERBOARD SUSPENDED CEILING
[Symbol]	TO BE CLOSED HOLE BY IRMG WALL
[Symbol]	TO BE APPLIED FIRE STOPPING AT THE FLOOR LEVEL WITH ADDITIONAL SUPPORTING CONSTRUCTION
[Symbol]	TO BE DEMOLISHED EXISTING PLASTERBOARD WALL
[Symbol]	TO BE DEMOLISHED EXISTING GLASS PARTITION WALL
[Symbol]	TO BE DEMOLISHED EXISTING CERAMIC TILE
[Symbol]	TO BE CONSTRUCTED PLASTERBOARD WALL WITHOUT FIRE RATING
[Symbol]	TO BE CONSTRUCTED CERAMIC TILE
[Symbol]	TO BE CONSTRUCTED COMPARTMENT WALL FOR FIRE SEPARATION E90- 2x12.5 mm Plasterboard/From both sides
[Symbol]	TO BE CONSTRUCTED SHUT WALL FOR FIRE SEPARATION E120 - Shell Wall 2x25 mm Plasterboard/From one side
[Symbol]	TO BE CONSTRUCTED WALL FOR FIRE SEPARATION E120 - 2x15 mm/From both sides
[Symbol]	TO BE CONSTRUCTED WALL FOR FIRE SEPARATION E90 - 2x15 mm Plasterboard/From one side
[Symbol]	TO BE CONSTRUCTED PLASTERBOARD WALL -ABOVE THE EXISTING WALL
[Symbol]	TO BE CONSTRUCTED PLASTERBOARD WALL FOR FIRE SEPARATION E90 - One Layer
[Symbol]	TO BE CONSTRUCTED 25MM PLASTERBOARD WALL FOR FIRE SEPARATION E120- One Layer
[Symbol]	TO BE CONSTRUCTED 15MM PLASTERBOARD WALL FOR FIRE SEPARATION E120- One Layer
[Symbol]	TO BE APPLIED PLASTER
[Symbol]	TO BE DEMOLISHED EXISTING DOOR
[Symbol]	TO BE MOUNTED NEW FIRE DOOR
[Symbol]	TO BE REMOVED EXISTING DOOR



1 DEMOLITION PLAN - SECOND FLOOR #205-AR-001  
1/100



2 NEW CONSTRUCTION PLAN - SECOND FLOOR #205-AR-001  
1/100




3 WALL DETAIL FOR FIRE SEPARATION E120/from one side  
1/100

1. Demolition of the 60x60cm led lighting fixture on ceiling at the corner part of the elevator.
2. Demolition of grid suspended ceiling at the corner part of the elevator-1.8m2
3. Demolition of the plasterboards in front of the shaft (110x300cm,70x300cm,21x300cm,227x300cm)
4. Mounting of two layers of 25mm plasterboards to construct E120 wall
5. Mounting of plasterboard suspended ceiling-1.8m2
6. Reassemble the equipment on ceiling
7. Apply fire stopping to the entrances of four elevators by filling with rock wool (150kg/m3) (2x130x60cm,2x125x60cm)
8. Demolition of the door of IT room(97x200cm)
9. Demolition of equipment on ceiling -2 60x60cm led lighting fixture  
-1 smoke detector
10. Demolition of grid suspended ceiling-12.2m2
11. Demolition of plasterboards of the wall within the door (370x320cm,60x320cm,97x120cm,60x320cm)
12. Provide a new E90 door (97x200cm)
13. Mounting of two layers of 25mm plasterboards from inside of the room to construct E120 wall.
14. Mounting of grid suspended ceiling-12.2m2
15. Reassemble of the equipment on ceiling



4 PHOTOGRAPHS OF CURRENT SITUATION -SECOND FLOOR #205-AR-001

- [Symbol] FOR SYSTEM APPROVAL
- [Symbol] FOR TENDER
- [Symbol] FOR INSTALLATION
- [Symbol] AS BUILT



Date	For System Approval	Explanation

CLIENT: **EVEX HOSPITALS** EVEX GEORGIA HEALTHCARE GROUP  
40 Vahit Pinarsoy Ave  
Tbilisi - GEORGIA  
Tel: +995 322 55 05 05

DESIGNER: **KARINA** TASARIM, DANISMANLIK VE EGITIM HIZMETLERI LTD.STI.  
Celtik EMEC Bld. No: 37/4  
A. ÖZELER - 06460 ANKARA / TURKEY  
Tel: +90-312-472 62 88 Fax: +90-312-472 62 89 e-posta: info@karina.com.tr

TECH. CONSULTANCY	: KARINA	REVISIONS	REV.	00
SYSTEM DESIGN	: KARINA		DATE	06.03.2021
MATERIAL SUPPLY	: -	DRAWING NO	EVEX-DEKA-KAR-204-205-AR-001	
INSTALLATION	: -	FILE NAME	C:\EVEX-DEKA-KAR-201-202-203-204-205-AR-	
APPROVAL	: -	SCALE	1/100	
DATE	: 06.03.2021			