

① DEMOLITION PLAN - SECOND FLOOR #202-AR-001
1/100



② NEW CONSTRUCTION PLAN - SECOND FLOOR #202-AR-001
1/100


PART I SHAFT

1. Demolition of the existing equipment on the ceiling
 - 2 camera
 - 1 25x45cm culvert
 - 1 25x45cm culvert with plenum box
 - 1 smoke detector
 - 5 60x60cm led lighting fixture
 - 1 fan coil
 - 1 air curtain
2. Demolition of the equipments on the walls
 - 1 fire button
 - 1 thermostat
 - 2 electric switch
3. Demolition of grid suspended ceiling-29.9m2
4. Construct a new E120 wall by mounting plasterboards from both sides to create a hall(200x300cm)
5. Provide a new E90 double-leaf door for the entrance of hall (150x210cm)
6. Demolition of the existing door of fire staircase (140x210cm)
7. Provide a new E90 double-leaf door for the fire staircase (150x210cm)
8. Demolition of the existing door of the room (90x210cm)
9. Provide a new E90 one-leaf door for the room (90x210cm)
10. Mounting of one layer of 25mm plasterboard to construct E120 wall over the existing walls without demolishment
11. Mounting of grid suspended ceiling- total 29.9m2
12. Reassemble of the equipments demolished.
13. Move the place of air curtain from the front of the staircase to the corridor.
14. Demolition of the equipments on the ceiling- 1 circular lighting fixture
15. Demolition of the grid suspended ceiling of the room-4.5m2
16. There already exists one layer of plasterboard , but it does not continue up to the ceiling, so 60cm height space between the existing plasterboard wall and ceiling will be closed by mounting one layer of plasterboard above the existing one from inside of the room (200x60cm)
17. Mounting of grid suspended ceiling- total 4.5m2
18. Reassemble of the equipments demolished.


LEGEND AND MATERIAL LIST	
SYMBOL	DESCRIPTION
[Red hatched box]	TO BE DEMOLISHED 60x60 GRID SUSPENDED CEILING
[Orange hatched box]	TO BE MOUNTED 60x60 GRID SUSPENDED CEILING
[Green hatched box]	TO BE DEMOLISHED PVC HYGIENIC SUSPENDED CEILING
[Blue hatched box]	TO BE MOUNTED PVC HYGIENIC SUSPENDED CEILING
[Purple hatched box]	TO BE DEMOLISHED PLASTERBOARD SUSPENDED CEILING
[Pink hatched box]	TO BE MOUNTED PLASTERBOARD SUSPENDED CEILING
[Yellow hatched box]	TO BE CLOSED HOLE BY IRMG WALL
[Blue hatched box]	TO BE APPLIED FIRE STOPPING AT THE FLOOR LEVEL WITH ADDITIONAL SUPPORTING CONSTRUCTION
[Red hatched box]	TO BE DEMOLISHED EXISTING PLASTERBOARD WALL
[Orange hatched box]	TO BE DEMOLISHED EXISTING GLASS PARTITION WALL
[Green hatched box]	TO BE DEMOLISHED EXISTING CERAMIC TILE
[Blue hatched box]	TO BE CONSTRUCTED PLASTERBOARD WALL WITHOUT FIRE RATING
[Purple hatched box]	TO BE CONSTRUCTED CERAMIC TILE
[Pink hatched box]	TO BE CONSTRUCTED COMPARTMENT WALL FOR FIRE SEPARATION E90- 2x12.5 mm /from both sides
[Yellow hatched box]	TO BE CONSTRUCTED SHAFIT WALL FOR FIRE SEPARATION E120 - Shell Wall 2x25 mm Plasterboard/From one side
[Orange hatched box]	TO BE CONSTRUCTED WALL FOR FIRE SEPARATION E120 - 2x15 mm/From both sides
[Green hatched box]	TO BE CONSTRUCTED WALL FOR FIRE SEPARATION E120 - 2x15 mm Plasterboard/From one side
[Blue hatched box]	TO BE CONSTRUCTED PLASTERBOARD WALL -ABOVE THE EXISTING WALL
[Purple hatched box]	TO BE CONSTRUCTED PLASTERBOARD WALL FOR FIRE SEPARATION E90 - One Layer
[Pink hatched box]	TO BE CONSTRUCTED 25MM PLASTERBOARD WALL FOR FIRE SEPARATION E120- One Layer
[Yellow hatched box]	TO BE CONSTRUCTED 15MM PLASTERBOARD WALL FOR FIRE SEPARATION E120- One Layer
[Green hatched box]	TO BE APPLIED PLASTER
[Red hatched box]	TO BE DEMOLISHED EXISTING DOOR
[Orange hatched box]	TO BE MOUNTED NEW FIRE DOOR
[Green hatched box]	TO BE REMAINTAINED EXISTING DOOR



③ PHOTOGRAPHS OF CURRENT SITUATION -SECOND FLOOR #201-AR-001



④ WALL DETAIL FOR FIRE SEPARATION E120/From both sides



⑤ WALL DETAIL FOR FIRE SEPARATION E120/over the existing plasterboard

- FOR SYSTEM APPROVAL
- FOR TENDER
- FOR INSTALLATION
- AS BUILT



KEY PLAN

Date	For System Approval	Explanation
------	---------------------	-------------

CLIENT	EVEX GEORGIA HEALTHCARE GROUP
	40 Vahit Pehlivanlı Ave Tbilisi - GEORGIA Tel : +995 322 25 05 05

DESIGNER	KARINA TASARIM, DANIŞMANLIK VE EĞİTİM HİZMETLERİ LTD.ŞTİ.
	Cadde EMEC Bulvarı 2. Cad. No : 37/4 A. ÖZGÜLER - 06460 ANKARA / TÜRKİYE Tel : +90-312-472 62 88 Faks : +90-312-472 62 89 e-posta: info@karina.com.tr

TECH. CONSULTANCY	: KARINA
SYSTEM DESIGN	: KARINA
MATERIAL SUPPLY	: -
INSTALLATION	: -

APPROVAL	: -	REV.	00
DATE	: 06.03.2021	DRAWING NO :	EVEX-DEKA-KAR-202-AR-001
SCALE	: 1/100	FILE NAME :	C:\EVEX-DEKA-KAR-201-202-203-204-205-AR