


n/n		Name	Technical description	Unit	Quantity	Unit cost, \$	Cost, \$
<b>Building</b>							
1		Frieze	The frieze of the building, 600 mm high, with a polymer coating. Complete with substructures. Installation of panels without visible fasteners.	m2	22.32		
2		3D letter (sign)	Molded letters "Gulf Store" embedded in the frieze of the building (English) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters.	piece	9.00		
		3D letter (sign)	Molded letters "გულფ სტორე" embedded in the frieze of the building (Georgian) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters.	piece	8.00		
		3D letter (sign)	Molded letters "Express" embedded in the frieze of the building (English) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters.	piece	7.00		
3		3D letter (sign)	Molded letters "Gulf Store" embedded in the frieze of the building (Georgian) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters.	piece	9.00		
4		Profile	The profile of the junction of the frieze to the building in the upper part with a polymer coating (orange), h = 200mm	m2	4.46		
5		Parapet	Parapet 700 mm wide made of galvanized steel 0.5 mm thick. Without an internal metal frame. Fabrication at a construction site.	m2	15.62		
6		Mood lighting	Strobe with LED illumination for illumination of the frieze of the building. Made of trapezoidal plastic profile with LED lighting.	m	22.32		
<b>Total:</b>						<b>0.00</b>	
<b>Hasag</b>							
7		Frieze	The frieze of the canopy is made of rolled panels, with a polymer coating, h=900 mm. Complete with a subsystem for attaching to metal structures of the canopy and hardware. The possibility of service is provided. All hardware with an open mount is painted in the color of the panels.	m2	45.00		0.00
8		Frieze	Canopy frieze corner, 900mm high, made of welded aluminum in blue color. Substructures are made of galvanized steel profiles. Mounting system without hardware and fasteners on the front surface.	piece	4.00		0.00
9		3D letter (sign)	Molded inset letters "Gulf" (English) with a front surface of 3mm thick acrylic glass. Internal LED backlight. (2 set of letters of 4 pieces)	piece	8.00		0.00
10		3D letter (sign)	Molded inset letters "Gulf" (Georgian) with a 3 mm thick acrylic glass front surface. Internal LED backlight. (4 sets of letters of 5 pieces each)	piece	8.00		0.00
11		Mood lighting	Profile with LED illumination in compound filling, it is made of extruded aluminum with a polymer coating, on brackets in the composition with an extruded plastic light profile. It includes front and back lighting. Designed to organize the illumination of the frieze around the perimeter of the canopy. Complete with hardware.	M	50.00		0.00
12		Ceiling	Suspended ceiling made of galvanized steel 0.7mm thick consisting of white panel 325 mm wide, RT docking profile, metal frame made of galvanized pipe and fittings, hardware.	m2	144.00		0.00
13		LED lighting	The LED lamp is built into the suspended ceiling. Rectangular. For external use. The degree of protection is IP65. The body is cast aluminum. The luminous flux is 10600lm, the color temperature is 5000K. Power consumption - no more than 100 watts. Operating temperature - 30...+50. Easy removable design for maintenance and replacement.	piece	8.00		0.00
14		Parapet	The parapet is made of galvanized steel 0.5 mm thick, with locks. Without an internal metal frame. Made on the construction site.	m2	35.00		0.00
15		Profile	Transition profile of the frieze abutting to the canopy ceiling h = 0.2 m with polymer coating (white).	m2	20.00		0.00
16		Pillar cladding	The covering of the canopy support is conventionally rectangular in cross-section, made of galvanized steel with polymer coating. Complete with a subsystem for attaching the skin to the metal frame of the canopy. The height of the supports is determined by the height of the canopy, the sweep depends on the size of the core of the support. Height 4.65m, 4pc	m2	44.64		
17		Pillar cladding	The covering of the canopy support of square / rectangular cross-section, made of galvanized steel with polymer coating. Near the building. Complete with a subsystem for attaching the skin to the metal frame of the canopy. The height of the supports is determined by the height of the canopy, the sweep depends on the size of the core of the support. Height 1.2m, 2 pcs	m2	0.00		0.00
18		Information box	The information cantilever double-sided box. The box plates are made of molded plastic with a seal or applique, complete with a metal frame. With internal illumination by LEDs along the contour.	piece	2.00		
19		Totem	*The price stele is 9500 mm for 6 types of fuel Two-string. Single-support. The panels of the stele under the logo are made of 1.8 mm thick aluminum with a polymer coating. The sign "GULF" is a light molded invoice. It consists of white-milk acrylic glass with UV-printing. The internal LED illumination is made by white light-emitting diodes, the counter-illumination is made by blue LEDs. The advertising panel is made of aluminum with a polymer coating with an internal LED backlight. The price panel is made of tempered FLAT glass with a thickness of 4 mm. The price lines are made in a polymer-coated housing, illuminated with white LEDs. The types of fuel are made in the form of a replaceable plate made of silicate tempered glass with an application. The illumination of the plates is made by white-glow LEDs. The side light profile is made of bent plastic with yellow-glow LEDs. Support for the stele: welded metal frame, round section. The frame elements undergo shot blasting, stripping, followed by degreasing of the surface, and additional treatment of the welds with an anticorrosive primer containing zinc. Anticorrosive protection of structures is carried out by applying a zinc-containing epoxy primer, with a layer thickness of 75-150 microns and a two-layer polyurethane enamel. The stele is equipped with an IR remote control of price lines. With a mortgage.	piece	1.00		
20		Protective arc steel	Protective arc for installation in front of the safety islands.	piece	4.00		0.00
21		Trash bin	Combined service unit on a fuel platform made of polymer coated steel. Includes a towel holder, a washing station for washing glasses, a box for gloves and a garbage container.	piece	2.00		0.00
22		Frieze	The frieze of the building, 600 mm high, with a polymer coating. Complete with substructures. Installation of panels without visible fasteners.	m2	9.42		
23		3D letter (sign)	Molded letters "CAR WASH" embedded in the frieze of the building (English) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters.	piece	7.00		


24		3D letter (sign)	Molded letters "საბრწყინო" embedded in the frieze of the building (Georgian) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters.	piece	28.00		
25		Profile	The profile of the junction of the frieze to the building in the upper part with a polymer coating (orange), h = 200mm	მ2	3.20		
26		Parapet	Parapet 700 mm wide made of galvanized steel 0.5 mm thick. Without an internal metal frame. Fabrication at a construction site.	მ2	11.20		
27		Mood lighting	Stripe with LED illumination for illumination of the frieze of the building. Made of trapezoidal plastic profile with LED lighting.	მ	16.00		

## Technical task

1. Price board controlled by infrared remote control panel
2. Price board glass is made with flat ultraviolet protective glass panels 4 mm
3. Transportations, installation must be included in offered price
4. Electrical supply 220V =-10 V
5. Warranty: 5 years for the panels and 3 years for electrical components
6. Illumination of the price board must be changed according to day light
7. Offered price must be including preparation of price board foundation and pouring of concrete for the anchor
8. Offered price must include delivery and installation at the destination (Petrol station)
9. Geographic data: 41.786435, 44.820351
10. Address : Tbilisi, Mukhiani district . (land plot #3/1)
11. All necessary measurements for design must be made by the manufacturer.
12. Data provided by the customer may not be accurate as all panels from all manufacturers are treated.
13. Sheathing of the canopy frieze made by corrugated galvanized steel.
14. The price should include the installation of electrical cables 3\*2.5 to the lights and orange lighting.
15. Suspension frame for the frieze and ceiling must be made by galvanized steel.
16. The manufacturer must provide a 3D model and a technical passport in tender documentation


შასალი კ-კ ღერძებში მ. 1:100

**Facade A-K M. 1:1000**




შასალი კ-კ ღერძებში მ. 1:100

**Facade K-A M. 1:1000**




შახადი კ-ზ ღირებულები მ. 1:100

**Facade K-Z M. 1:1000**




შახადი ზ-კ ღირებულები მ. 1:100

**Facade Z-K M. 1:1000**




შახადი 7-9 ღირებულები მ. 1:100

**Facade 7-9 M. 1:1000**




შახადი 9-7 ღირებულები მ. 1:100

**Facade 9-7 M. 1:1000**




შასაღი 1-5 ღმრძეშო მ. 1:100

Facade 1-5 M. 1:1000



შასაღი 5-1 ღმრძეშო მ. 1:100

Facade 5-1 M. 1:1000



## Photofixation

